

SUPPLEMENT TO



The Gazette of India

No. 26]

NEW DELHI, SATURDAY, JULY 4, 1953

OFFICIAL PAPERS

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 6th June, 1953.

	CHOLERA		SMALLPOX		PLAQUE			CHOLERA		SMALLPOX		PLAQUE		
	C.	D.	C.	D.	C.	D.		C.	D.	C.	D.	C.	D.	
STATES PART (A) & PART (C)														
Ajmer							Kanara	
<i>Information not received.</i>							Ratnapuri	.	.	10	5	7	2	
Assam							Kolaba	
<i>No incidence.</i>							Kolhapur	
Bhopal							Baroda	.	.	4	3	12	3	
<i>Information not received.</i>							Navsari	
Bihar							Dangs	
<i>Information not received.</i>							Malwan	
Bombay							Mehmane	
<i>Information not received.</i>							Banaskantha	
Greater Bombay	—	19	2	TOTAL	293	94	93	13
Ahmedabad	.	.	82	16	(Estd. mid-year pop. 37,446 thousands.)				
Kaira	.	.	36	15	Total for w/e 30-5-53	166	57	115	18
Broach	.	.	26	9	2	1	Total for w/e 23-5-53	274	103	128	15
Panch Mahals	—	—	7-yearly mean for the week	48	15	228	43
Surat	.	.	69	20	—					
Thane	.	.	—	—	4	Coorg				
Satara South	.	.	—	—	8	1	<i>No incidence.</i>				
Ahmednagar	—	7	Delhi				
East Khandesh	.	.	1	1	1	—	Delhi City	.	—	—	8
West Khandesh	.	.	—	—	15	2	New Delhi	.	—	—	1
Amravati	.	.	—	—	5	1	Delhi-Shahdara
Nandur	.	.	24	8	8	—	Delhi Notified Area	1
Poona	.	.	4	1	2	—	New Delhi Cantt.	.	—	—	..
Satara North	—	2	West Delhi N. A. C.	.	—	—	..
Sholapur	.	.	32	14	1	1	Rural Circles	.	—	—	..
Subarkantha	.	.	—	—	TOTAL	.	—	—	4
Belgaum	.	.	—	—	(Estd. mid-year pop. 1,744 thousands.)				
Bijapur	.	.	1	—	—	Total for w/e 30-5-53	—	—	13	2
Dharwar	.	.	4	2	—	Total for w/e 23-5-53	—	—	2	4
									..	7-yearly mean for the week	12	7

Explanation of Symbols used : —C.—Cases : D.—Deaths,

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 6th June, 1953—contd.

Explanation of Symbols used :— C. = Cases ; D. = Deaths.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 6th June, 1953—contd.

	Cholera Smallpox Plague							Cholera Smallpox Plague					
	C.	D.	C.	D.	C.	D.		C.	D.	C.	D.	C.	D.
Orissa—contd.							Uttar Pradesh						
Dhenkanal	.	.	.	—	—	2	—	—	—	Dehra Dun	.	.	—
Bolangir Patesh	.	.	.	—	—	32	—	—	—	Saharanpur	.	.	—
Sundargarh	.	.	.	—	—	1	—	—	—	Muzaffarnagar	.	.	—
Kalahandi	—	32	4	—	—	Meerut
Angul	.	.	.	—	—	..	—	—	—	Bulandshahr
Mayurbhanj	—	3	—	—	—	Aligarh	.	.	—
TOTAL	.	.	.	95	50	107	6	—	—	Mathura	.	.	—
(Estd. mid-year pop. 14,849 thousands.)									—	Agra	.	.	—
Total for w/e 30-5-53	.	50	29	112	15	—	..	—	—	Mathpuri
Total for w/e 23-5-53	.	27	18	97	8	—	..	—	—	Etah
7-yearly mean for the week	.	.	.	95	45	178	35	—	—	Bareilly	.	.	—
Punjab(I)							Bijnor						
Hissar	.	.	.	—	—	—	1	—	—	Budhaun	.	.	—
Rohtak	.	.	.	—	—	5	—	—	—	Moradabad	.	.	—
Gurgaon	.	.	.	—	—	3	..	—	—	Shahjahanpur
Karnal	—	10	1	—	—	Pilibhit	.	.	—
Ambala	.	.	.	—	—	3	4	—	—	Farrukhabad	.	.	—
Simla	.	.	.	—	—	—	—	—	—	Etawah
Kangra	.	.	.	—	—	1	..	—	—	Kanpur	.	.	—
Hoshiarpur	.	.	.	—	—	3	2	—	—	Fatehpur	.	.	3
Jullundur	.	.	.	—	—	6	2	—	—	Allahabad	.	.	16
Ludhiana	.	.	.	—	—	2	—	—	—	Jhansi
Perosopur	.	.	.	—	—	8	3	—	—	Jalaun	.	.	—
Amritsar	—	12	2	—	—	Hamirpur	.	.	—
Gurdaspur	.	.	.	—	—	..	2	—	—	Banda	.	.	13
TOTAL	53	17	—	—	—	Banaras	.	.	12
(Estd. mid-year pop. 12,649 thousands.)									—	Mirzapur	.	.	10
Total for w/e 30-5-53	63	25	—	—	—	—	Jaunpur	.	.	20
Total for w/e 23-5-53	85	22	—	—	—	—	Ghasipur	.	.	33
7-yearly mean for the week	.	.	.	5	3	30	10	—	—	Ballia	.	.	5
Tripura							Gorakhpur						
TOTAL	.	—	1	—	—	—	—	—	—	Deoria	.	.	24
(Estd. mid-year pop. 682 thousands.)								—	—	Basti	.	.	—
Total for w/e 30-5-53	.	3	1	—	—	—	—	—	—	Azamgarh	.	.	16
Total for w/e 23-5-53	.	Not available.						—	—	Nainital	.	.	—
								—	—	Almora	.	.	6
								—	—	Garhwal	.	.	5
								—	—	Lucknow	.	.	1
								—	—	Una	.	.	—
								—	—	Rae Bareli	.	.	8
								—	—			3	

Explanation of Symbols used.—C.=Cases; D.=Deaths.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 6th June, 1953—contd.

	CHOLERA						SMALLPOX						PLAQUE						CHOLERA						SMALLPOX					
	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.				
Uttar Pradesh—contd.												West Bengal—contd.																		
Sitapur	—	—	—	—	—	—	—	—	—	—	—	(Estd. mid-year pop. 25,475 thousands)																		
Hardoi	—	—	—	—	—	—	—	—	—	—	—	Total for w/e 30-5-53	479	235	25	8	—	—												
Kheri	—	—	—	4	2	—	—	—	—	—	—	Total for w/e 23-5-53	569	268	31	20												
Faizabad	—	—	—	—	—	—	—	—	—	—	—	7-yearly mean for the week	819	132	212	91												
Gonda	—	—	—	—	—	—	—	—	—	—	—	Grand Total for States Parts (A) and (C) (excluding Ajmer, Bihar and Bhopal)	1,882	828	501	104	—	—												
Bahraich	—	—	—	1	—	—	—	—	—	—	—	Corresponding (Estimated mid-year pop. 252,965 thousands).																		
Sultanpur	—	—	—	—	—	—	—	—	—	—	—	Corresponding Total for w/e 30-5-53	1,665	771	584	150	—	—												
Prestgarh	—	—	—	—	—	—	—	—	—	—	—	Corresponding Total for w/e 23-5-53	1,752	822	679	163												
Bara Banki	—	—	—	3	3	—	—	—	—	—	—	Corresponding 7-yearly mean for the week	1,216	548	1,426	352	11	4												
Rampur	—	—	—	—	—	—	—	—	—	—	—																			
TOTAL	168	82	68	21	..	—																								
(Estd. mid-year pop. 84,826 thousands.)																														
Total for w/e 30-5-53	389	181	89	31	..	—																								
Total for w/e 23-5-53	511	243	109	49	—	—																								
7-yearly mean for the week	368	183	211	53	8	3																								

STATES PART (B)

Vindhya Pradesh												Hyderabad														
Total	644	279	—	—	—	—	—	—	—	—	—	Aurangabad	14	8	2	1	—	—	—	—	—	—	—	—	—	—
(Estd. mid-year pop. 8,630 thousands.)												Parbhani	17	12	—	—	—	—	—	—	—	—	—	—	—	—
Total for w/e 30-5-53	311	158	..	—	—	—	—	—	—	—	—	Bhir	—	—	—	—	—	—	—	—	—	—
Total for w/e 23-5-53	219	102	—	—	—	—	—	—	—	—	—	Gulberg	—	—	—	—	—	—	—	—	—	—
West Bengal												Ramehur	—	—	—	—	—	—	—	—	—	—
Burdwan	17	8	8	2	—	—	—	—	—	—	—	Bidar	—	—	—	—	—	—	—	—	—	—
Birbhum	6	1	—	—	—	—	—	—	—	—	—	Omanabad	—	—	—	—	—	—	—	—	—	—
Bankura	3	2	—	—	—	—	—	—	—	—	—	Warrangal	—	—	16	2	—	—	—	—	—	—
Midnapur	16	9	—	—	—	—	—	—	—	—	—	Karimnagar	6	1	—	—	—	—	—	—	—	—	—	—	—	—
Hooghly	28	11	..	—	—	—	—	—	—	—	—	Adilabad	—	—	2	—	—	—	—	—	—	—
Howrah	108	48	1	—	—	—	—	—	—	—	—	Nizamabad	92	94	—	—	—	—	—	—	—	—	—	—	—	—
24-Parganas	80	42	..	—	—	—	—	—	—	—	—	Medak	—	—	6	2	—	—	—	—	—	—
Calcutta	235	102	5	3	..	—	—	—	—	—	—	Nalgonda	5	3	—	—	—	—	—	—	—	—	—	—	—	—
Nadia	7	3	—	—	—	—	—	—	—	—	—	Mahbubnagar	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Murshidabad	51	16	—	—	—	—	—	—	—	—	—	Hyderabad	2	—	2	—	—	—	—	—	—	—	—	—	—	—
Malda	—	—	—	—	—	—	—	—	—	—	—	Nanded	174	37	—	—	—	—	—	—	—	—	—	—	—	—
West Dinajpur	—	—	—	—	—	1	1	—	—	—	—	TOTAL	310	95	28	5	—	—	—	—	—	—	—	—	—	—
Jalpaiguri	—	—	—	—	—	—	—	—	—	—	—	Jammu and Kashmir														
Darjeeling	—	—	—	—	—	—	—	—	—	—	—	Information not received.														
Cooch Behar	5	5	—	—	—	—	—	—	—	—	—	Madhya Bharat														
Chandernagore	—	—	—	—	—	—	—	—	—	—	—	Information not received.														
TOTAL	555	247	15	6	—	—	—	—	—	—	—	Explanation of Symbols used :— C.—Cases ; D.—Deaths.														

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 6th June, 1953—contd.

	CHOLERA			SMALLPOX		PLAQUE			CHOLERA			SMALLPOX		PLAQUE									
	C.	D.	O.	C.	D.	O.	D.		C.	D.	O.	C.	D.	O.	D.								
Mysore														ARREAR INFORMATION									
angalore	.	.	6	4	9	9	—	—	Saurashtra	w/e 30-5-53													
Chikmagalur	.	.	1	1	19	2	—	—	Gohilwad	—	—	6	3	—	—								
Chitaldrug	—	—	—	—	Zalawad	—	—	—								
Hassan	.	.	4	4	—	—	Madhya-Saurashtra	—	—	1	1								
Kidur	—	Halar	—	—	..	1								
Kolar	—	Sorath	—	—	6	19								
Mandyā	23	3	—	—	TOTAL	13	24								
Mysore	—	Himachal Pradesh														
Shimoga	.	.	—	—	—	—	—	—	TOTAL	—	—	19	11	—	..								
Tamkur	—	Madhya Bharat														
TOTAL	•	11	9	52	8	—	TOTAL	11	1								
Patiala & East Punjab States Union																							
Information not received.																							
Rajasthan																							
Information not received.																							
Saurashtra																							
Information not received.																							
Travancore Cochin																							
TOTAL	2	—	POLIOMYELETIS														
Grand Total for States Part (B)	..	321	104	82	13	—	(Information based on patients treated in hospitals in important towns)														
Grand total for States Parts (A), (B) and (C)	2,203	932	583	117	—	Places	Period													
								—	Delhi State	1—15 June '53													
Explanation of Symbols used : C.—Cases ; D.—Deaths.																							

New Delhi-2 (India); }
The 29th June, 1953. }

K. MITRA,

for Registrar General, India.

TODAY'S BEST INVESTMENT FOR SMALL SAVERS

NATIONAL SAVINGS CERTIFICATES

Available in three different series, maturing after 5, 7 and 12 years. The yield is 3%, 3.57% and 4.16% simple interest, respectively, at maturity. Thus, in the 12 year-certificates money increases by 50% on maturity. Interest is free of Income-tax and super-tax and is not taken into account in arriving at the total taxable income.

The certificates are obtainable from Post Offices doing Savings Bank business in denominations of Rs. 5, 10, 50, 100, 500, 1,000 and 5,000. An individual can invest upto Rs. 25,000 and two joint holders upto Rs. 50,000/-

Deposits accepted in multiples of Rs. 100 upto a maximum of Rs. 25,000 for a single depositor and Rs. 50,000 for two persons jointly. Interest at 3½% per annum, free of income-tax and super-tax and which is not taken into account in assessing the total taxable income, is paid or remitted to the depositor's address every year. Deposits accepted at offices of the Reserve Bank of India at Bombay, Calcutta, Delhi and Madras and Branches of the Imperial Bank of India at other places transacting treasury business. Deposits are also accepted at all Treasuries in Part 'A' States at places where the Imperial Bank does not transact treasury business and at all Sub-Treasuries in Part 'A' States; also at Treasuries at Bhuj (Kutch), Imphal (Manipur) and Coorg-Mercara (Coorg).

3½%

TEN-YEAR TREASURY SAVINGS DEPOSITS

For further information and/or rules governing these Investments please write to the Provincial National Savings Officer of your State or the National Savings Commissioner, Gorton Castle, Simla-3

AC 444

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 6th June, 1953

Deaths from :-

Town	Mid-year Popn.-Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.	
STATES—(Parts A and C)														
Ajmer														
Ajmer	208	40	10·0	—	—	—	9	1	10	—	30	7·5	0	
Beawar	54	15	14·4	—	—	—	6	—	4	—	12	11·6	5	
TOTAL	262	55	10·0	—	—	—	15	1	14	—	42	8·3	14	
Assam														
Dibrugarh	41	9	11·4	—	—	—	—	2	—	—	2	2·5	—	
Gauhati	47	5	5·5	—	—	—	6	—	1	—	13	14·4	1	
Silchar	38	16	21·0	—	—	—	3	—	—	—	6	8·2	2	
Shillong	57	24	21·0	—	—	—	—	—	2	—	3	2·7	1	
TOTAL	183	54	15·3	—	—	—	9	2	3	—	24	6·8	4	
Bhopal														
<i>Return not received.</i>														
Bihar														
Bombay														
Ahmedabad	832	475	29·8	—	—	—	138	5	47	—	281	17·6	19	
Ahmednagar	84	87	53·9	—	—	—	4	2	5	—	36	22·3	13	
Amalner	47	28	31·0	—	—	—	6	—	1	—	10	11·1	—	
Bagalkot	34	25	38·2	—	—	—	2	1	2	—	6	9·2	—	
Baroda	225	127	29·4	—	—	—	47	—	2	—	68	15·7	15	
Barsi	44	81	95·7	—	—	—	11	—	1	2	21	24·8	10	
Belgaum	105	32	15·9	—	—	—	—	—	1	—	14	6·9	3	
Bhusawal	57	28	25·5	—	—	—	15	—	1	—	22	20·1	7	
Bijapur	70	38	28·2	—	—	—	4	1	7	—	24	12·2	—	
Brosach	65	46	36·8	—	—	—	8	1	3	—	25	20·0	2	
Cambay†	32	26	42·3	—	—	—	9	1	—	1	18	29·3	4	
Chalisgaon	—	—	—	—	—	—	—	—	—	—	—	—	—	
Dharwar	71	37	27·0	—	—	—	1	—	5	—	28	20·5	4	
Dhulia	82	27	18·3	—	—	—	7	—	1	—	12	8·1	2	
Gadag-Betgewi	68	62	47·4	—	—	—	3	2	5	2	33	25·2	2	
Godhra†	—	—	—	—	—	—	—	—	—	—	—	—	—	
Greater Bombay	3,096	1,279	21·5	—	2	—	7	25	162	1	662	11·1	160	
Hubli	137	57	21·6	—	—	—	2	1	9	—	21	10·0	5	
Jalgao	73	33	23·5	—	—	—	—	15	3	3	—	33	23·5	8
Kalyan	65	23	18·4	—	—	—	2	—	2	—	7	5·7	—	
Kolhapur†	—	—	—	—	—	—	—	—	—	—	—	—	—	
Nandurbar	32	21	34·1	—	—	—	2	2	2	—	13	12·1	4	
Malegaon	59	53	24·7	—	—	—	59	3	6	2	75	66·1	18	
Miraj†	—	—	—	—	—	—	—	—	—	—	—	—	—	
Nadiad	66	44	34·3	—	—	—	6	—	1	—	20	15·6	6	
Nasik	107	38	18·5	—	—	—	11	4	3	1	38	18·5	7	
Navasari	47	27	29·9	—	—	—	3	—	—	—	7	7·7	2	
Pandherpur	42	30	35·2	—	1	—	8	3	6	—	22	27·3	8	
Patan	45	24	27·7	—	—	—	13	—	1	—	22	25·4	5	
Poona	539	229	22·1	—	2	—	3	4	34	2	144	13·8	33	
Sangli	54	22	29·9	—	—	—	1	3	—	—	12	11·9	3	
Satara	39	17	22·7	—	—	—	4	—	2	—	14	18·7	5	
Sholapur	281	106	34·4	—	—	—	35	6	42	—	115	21·3	44	
Surat	235	174	38·5	2	—	—	17	4	20	2	98	21·3	31	
Thana†	—	—	—	—	—	—	—	—	—	—	—	—	—	
TOTAL	6,735	3,296	26·2	2	5	—	443	71	378	16	1,901	14·5	420	

Delhi State

Delhi City	995	502	26·2	—	—	—	112	5	31	—	218	11·4	69
New Delhi	822	163	26·3	—	—	—	9	2	22	1	75	12·1	21
TOTAL	1,817	665	26·3	—	—	—	121	7	53	1	293	11·6	90

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :- B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths).

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 6th June, 1953—contd.

Deaths from :—

Town	Mid-year Popn.-Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Madhya Pradesh													
Madras													
Ambur†													
Adoni	58	40	35·9	3	1	16	14·3	1	
Anantapur	34	34	52·0	..	1	1	4	6·1	1	
Anakapalle	43	31	37·5	2	3	3	1	20	24·2	0
Aruppukottai	52	53	53·0	5	2	2	..	24	24·0	0
Bodinaikanur	38	9	12·3	1	3	4·1	..
Bellary	74	43	30·2	..	1	..	2	2	1	3	16	11·2	4
Bhimavaram	33	19	29·9	5	..	1	1	11	17·3	1
Chidambaram	37	23	32·3	10	14·1	2
Cannanore	44	25	29·5	1	..	3	..	12	14·2	..
Chirala	40	14	18·2	6	1	9	11·7	2
Chittoor	41	30	38·0	1	..	8	10·1	2
Coimbatore	213	206	50·3	9	20	1	74	18·1	20
Cuddalore	71	63	38·8	2	2	3	1	27	19·8	3
Cuddapah	40	16	20·8	3	..	4	..	14	18·2	4
Dindigul	84	36	22·3	5	1	3	1	20	12·4	3
Eluru	92	61	34·5	5	..	1	1	25	14·1	6
Erode	62	36	30·2	1	..	14	11·7	2
Fort Cochin	31	34	57·0	—	3	2	..	12	20·1	1
Gobichettipalayam	34	10	18·3	—	1	..	2	3·1	..
Gudivada	34	18	27·5	—	4	1	1	..	13	19·9	2
Guntakal	34	21	32·1	3	..	1	..	5	7·6	1
Gudiyattam	49	44	46·7	4	2	19	20·2	5
Guntur	135	74	28·5	12	3	1	1	49	18·9	12
Hospet	42	40	49·5	1	2	4	..	14	17·3	5
Kakinada	106	52	25·5	8	2	1	..	30	14·7	10
Kanchipuram	87	46	27·5	5	1	15	1	49	29·3	9
Karakudi	41	16	20·3	—	2	..	1	1	13	16·5	4
Karur	46	21	23·7	1	1	2	..	11	12·4	1
Kozhikode	166	131	41·0	3	9	6	..	79	24·8	24
Kumbakonam	97	60	37·0	..	—	..	6	1	9	..	44	23·6	9
Kurnool	64	69	56·1	..	1	..	1	2	3	..	16	13·0	2
Madras	1,542	984	32·5	..	1	..	83	78	187	2	674	22·7	..
Mangalore	126	60	24·8	4	1	7	1	27	11·1	6
Marupatnam	82	43	27·3	..	2	..	3	..	1	..	22	14·0	4
Mathurai	390	273	36·4	2	19	19	67	1	180	24·0	28
Mayuram	46	21	23·7	1	..	14	16·8	3
Malappayam	39	8	10·7	1	1	1	..	8·0	2
Nandyal	35	31	46·1	1	1	8	..	17	25·3	5
Nagapattinam	59	38	33·5	..	1	..	1	1	2	..	12	10·6	3
Nellore	87	50	29·9	..	1	..	7	..	2	..	46	27·5	11
Ootacamund†													
Pelani	37	21	29·5	1	3	..	11	18·5	2
Palyamkottai	32	11	17·9	1	1	2	..	11	17·9	2
Periyakulam	42	40	49·5	1	1	4	1	18	22·3	5
Palghat	73	45	32·1	1	..	2	1	26	18·5	7
Proddatur	39	22	29·3	1	1	10	13·3	4
Pudukottai	47	35	38·7	6	2	3	..	15	16·6	2
Rajamundry	112	67	33·1	5	3	3	..	41	19·0	8
Rajapalayam	64	41	33·3	1	1	6	..	15	12·2	2
Srirangam	39	26	34·7	2	18	24·0	2
Saloum	219	114	27·1	3	6	10	..	87	13·5	8
Srivilliputtur	42	18	22·3	1	4	3	2	24	28·7	4
Tanjore	108	91	43·8	4	2	7	..	48	23·1	9
Telllicherry	41	25	31·7	9	3	..	15	19·0	3
Tenali	62	30	30·2	2	1	2	..	21	17·6	7
Thrichirappalli	983	107	28·9	2	..	9	..	75	16·7	10
Trichinopoly	76	64	43·8	1	1	8	..	30	20·5	15
Tiruppur	67	44	40·1	3	..	6	..	15	13·7	2
Tiruvannamalai	42	25	31·0	8	2	..	11	13·6	3

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths).

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 6th June, 1953—*contd.*

Town	Mid-year Popn.-Est. (000)	Deaths from :—											
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Madras—contd.													
Tuticorin	104	66	33·0	—	—	—	3	6	11	—	32	16·0	7
Villupuram	87	30	42·2	—	—	—	1	—	2	—	12	16·9	3
Vaniyambadi	40	20	26·0	—	—	—	—	1	5	—	11	14·3	4
Vellore	114	89	40·6	—	—	—	5	2	7	1	45	20·5	14
Vijayavada	179	57	16·6	—	—	—	5	—	1	—	33	9·6	8
Virudunagar	49	30	31·8	—	—	—	3	2	5	—	19	20·2	3
Visakhapatnam	117	68	30·2	—	—	—	8	1	6	1	39	17·3	7
Vizianagram	71	39	28·6	—	—	—	9	3	2	1	35	25·6	7
TOTAL	6,504	4,093	32·7	2	8	—	271	192	482	28	2,348	18·8	358
Orissa													
Berhampur	67	30	22·4	7	—	—	2	7	—	—	21	16·3	2
Cuttack	109	89	42·5	—	—	—	14	4	1	1	43	20·6	4
Puri	61	8	8·2	—	—	—	7	5	2	—	28	23·5	6
TOTAL	227	127	29·1	7	—	—	23	16	3	1	87	19·9	13
Punjab (I)													
Ambala	61	27	23·1	—	—	—	5	1	4	—	11	9·4	4
Amritsar	817	172	28·3	—	—	—	12	7	21	—	79	13·0	17
Batala	59	15	18·3	—	—	—	3	—	3	—	8	7·1	—
Bhiwani	54	24	23·2	—	1	—	7	—	4	—	19	18·3	4
Ferozepore	41	19	24·2	—	—	—	—	1	2	—	6	7·6	1
Hissar	87	18	25·4	—	—	—	6	—	1	—	12	16·9	7
Hoshiarpur	48	15	16·3	—	—	—	6	—	2	—	10	10·9	1
Jullundur	182	68	19·5	—	—	—	14	1	2	—	28	8·0	5
Karnal	61	18	15·4	—	—	—	9	1	1	—	13	11·1	1
Ludhiana	164	75	23·8	—	—	—	28	—	1	—	37	11·8	5
Moga	39	18	24·1	—	1	—	2	—	—	—	7	9·4	3
Panipat†	—	—	—	—	—	—	—	—	—	—	—	—	—
Pathankot	38	16	25·3	—	—	—	2	—	—	—	8	4·7	—
Rewari	35	17	25·3	—	—	—	5	—	3	—	9	13·4	5
Rohtak	78	37	26·4	—	—	—	7	1	—	—	12	8·6	—
Simla†	—	—	—	—	—	—	—	—	—	—	—	—	—
Sonepat	31	17	28·6	—	—	—	7	—	1	—	8	13·5	3
TOTAL	1,285	656	23·5	—	2	—	113	12	45	—	262	11·1	56
Uttar Pradesh													
Agra	352	187	27·7	—	2	—	5	14	100	—	190	28·1	44
Allahabad	329	180	20·6	—	—	—	5	2	34	1	75	11·9	20
Amroha	60	54	46·9	—	—	—	6	2	8	—	31	6·9	7
Bahraich†	32	10	16·3	—	—	—	1	2	—	—	4	6·5	1
Ballia	358	190	27·7	—	—	—	80	9	24	—	223	32·5	.51
Banaras	—	—	—	—	—	—	—	—	—	—	—	—	—
Banda	81	17	28·6	—	—	—	2	—	1	—	5	8·4	3
Bareilly	198	127	33·4	—	—	—	11	5	11	—	39	10·3	12
Basti†	—	—	—	—	—	—	—	—	—	—	—	—	—
Bijnor	81	11	18·5	—	—	—	7	—	—	—	10	16·8	—
Budaun	53	20	2·0	—	—	—	5	3	8	—	20	2·0	5
Bulandshahr	89	13	17·4	—	—	—	10	—	—	—	10	13·3	—
Chandani	89	16	21·4	—	—	—	6	2	1	—	19	25·4	6
Dehra Dun	130	40	16·0	—	3	—	3	—	1	—	20	8·0	3
Etawah	62	38	27·8	—	1	—	18	4	6	—	40	33·6	18
Faizabad-Ayodhya	81	29	18·7	—	—	—	9	3	3	2	26	16·7	6
Farrukhabad-Fatehgarh	78	22	14·7	—	—	—	5	2	3	—	19	12·7	1
Ferozabad	71	28	20·6	—	—	—	13	2	—	—	18	18·2	4
Ghaziabad	42	17	21·1	—	1	—	4	—	1	—	8	9·9	1
Ghazipur	35	20	29·8	—	—	—	6	1	2	—	13	19·4	7
Gonda	34	23	35·3	—	—	—	8	1	2	—	14	21·5	6
Gorakhpur	181	58	23·1	—	—	—	8	2	5	—	35	13·9	9
Hapur	46	40	45·3	—	—	—	8	4	—	—	15	17·0	8
Hardwar	60	16	13·9	—	—	—	14	—	8	—	31	26·9	5

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D. D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I. D.—Infantile Deaths (included in total deaths).

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 6th June, 1953—contd.

Town	Mid-year Popn. Est. (000)	Deaths from :—											
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Uttar Pradesh—contd.													
Hathras	59	44	38.9	—	—	—	31	2	8	—	44	38.9	16
Jaunpur	54	20	19.3	—	—	—	5	—	2	—	12	11.6	...
Jhansi	111	64	30.1	—	—	—	54	—	1	—	69	32.4	26
Kanpur	680	244	18.7	—	—	—	106	24	40	6	304	23.3	93
Kasganj	33	10	15.8	—	1	—	5	—	4	—	11	17.4	2
Khurja	40	20	26.1	—	—	—	1	—	4	—	9	11.7	3
Koll-Aligarh	143	45	16.4	—	—	—	38	3	4	—	58	21.1	...
Lucknow	467	136	15.2	—	—	—	50	28	34	1	193	12.7	49
Mathura	104	85	42.6	—	—	—	18	1	8	—	37	18.6	10
Meu-Nath Bhanjan†													
Meerut	172	89	27.0	—	—	—	22	6	16	1	58	17.6	16
Mirzapur-Vindyachal	92	32	18.1	—	—	—	15	1	2	—	25	14.2	7
Moradabad	160	120	39.1	—	—	—	25	1	14	—	50	16.3	5
Muzaffarnagar	68	28	21.5	—	—	—	11	1	3	—	18	13.8	6
Pilibhit	45	19	22.0	—	—	—	8	5	1	—	17	19.7	3
Rampur	145	12	4.3	—	—	—	5	—	1	—	8	2.9	1
Saharanpur	161	74	25.6	—	—	—	62	4	4	—	74	25.6	18
Sambhal	63	31	25.7	—	4	—	14	2	5	—	33	27.3	6
Shahjahanpur	99	27	14.2	—	—	—	15	—	—	—	17	9.0	6
Sitapur	47	25	27.7	—	—	—	7	1	—	—	12	13.3	5
TOTAL	6,025	2,226	28.1	—	12	—	726	136	368	11	1,920	19.9	484
West Bengal													
<i>Return not received.</i>													
STATES—(Part B)													
Jammu & Kashmir													
<i>Return not received.</i>													
Madhya Bharat													
Greater Gwalior	255	64	13.0	—	—	—	3	2	2	—	16	8.2	1
Indore City	336	136	21.0	—	—	—	38	5	4	4	112	17.3	40
Ujjain City	141	26	9.2	—	—	—	11	3	13	2	48	17.7	19
Ratlam City†													
TOTAL	732	225	18.9	—	—	—	52	10	19	6	176	12.5	60
Mysore State													
Bangalore City	862	327	23.9	—	2	—	6	50	69	—	296	17.8	—
Davanagere	62	19	8.7	—	—	—	—	1	1	—	7	6.8	—
Kolar Gold Fields	165	152	56.1	—	—	—	3	7	5	—	52	19.2	—
Mysore City	266	133	26.0	—	—	—	13	—	6	—	50	9.7	..
TOTAL	1,355	701	26.9	—	2	—	22	58	81	—	406	15.5	..
PEPSU													
<i>Return not received.</i>													
Rajasthan													
Alwar†	38	9	12.3	1	1	—	6	2	1	—	11	15.1	9
Bharatpur													
Bikaner†													
Churu†													
Ganganagar†													
Tonk	44	11	13.0	—	—	—	6	—	4	—	14	16.5	2
Sikar†													
Jaipur	318	56	9.2	—	1	—	25	6	28	—	89	14.6	34
Udaipur	97	7	3.8	—	—	—	7	2	1	—	10	5.4	2
Kotah†													
TOTAL	407	83	8.7	1	2	—	54	10	34	—	124	13.0	47
Saurashtra													
<i>Return not received.</i>													
Travancore-Cochin													
Alleppey	130	72	28.8	—	—	—	2	—	5	—	20	8.0	2
Changanacherry	88	8	10.9	—	—	—	—	—	—	—	—	—	—
Ernakulam	66	56	44.1	—	—	—	1	—	—	—	20	15.8	4
Kottayam	47	37	40.9	—	—	—	2	—	1	—	9	10.0	2
Mattancherry	78	57	58.0	—	—	—	1	—	1	—	9	6.0	1
Nagercoil	88	42	25.4	—	—	—	1	—	2	—	15	9.1	2
Quilon	70	93	69.1	—	—	—	—	1	4	—	10	7.4	2
Trichur	73	65	46.3	—	—	—	2	1	2	1	12	8.5	2
Trivandrum City	201	94	24.3	—	—	—	9	4	6	—	75	19.4	11
TOTAL	789	524	34.5	—	—	—	18	6	21	1	170	11.2	26

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths; (included in total deaths).

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 6th June, 1953—*contd.*

Deaths from:—

Town	Mid-year Popn. Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.	
ARREAR RETURNS														
<i>For w/e the 16th May, 1953</i>														
West Bengal														
Asansol	.	80	5	8·3	3	2·0	—	
Baidyabati	.	32	20	32·6	—	
Bally†	.										—	—	—	
Bankura	.	49	10	10·6	—	—	—	—	—	—	4	4·3	—	
Baranagar†	.	37	6	8·5	4	—	—	—	—	—	5	7·0	1	
Basirhat	.													
Berhampur	.	59	28	24·7	3	—	—	3	..	1	14	12·4	1	
Bhadravtar	.	38	10	15·8	..	—	—	2	3	4·7	—	
Bhatpara	.	138	26	9·8	1	..	—	14	2	2	32	12·1	..	
Budge-Budge	.	32	11	17·9	1	2	3·3	1	
Burdwan	.	78	10	6·7	1	1	3	11	7·4	—	
Calcutta	.	2,825	1,140	21·0	114	3	—	63	85	146	791	14·0	171	
Champdani†	.	33	5	7·9	1	2	3·2	..	
English Bazar	.	116	22	9·9	1	4	4	2	17	7·6	3	
Garden Reach	.													
Haldiahat†	.	58	36	32·4	2	—	—	2	3	1	15	18·5	3	
Hooghly-Chinsura	.	458	99	11·3	30	—	—	17	23	40	178	20·3	47	
Howrah	.													
Jalpaiguri†	.	64	16	13·0	—	—	—	1	..	—	1	0·8	—	
Kamarhati†	.													
Kanchrapara	.													
Krishnagar	.	52	2	2·0	—	—	—	1	—	1·0	—	
Midnapore†	.													
Nabadwip†	.													
Naihati	.	58	5	4·5	1	..	2	6	5·4	3	
North Barrackpur	.	34	3	4·6	2	2	3·1	..	
Panihati	.	58	7	6·8	1	0·9	..	
Shantipur	.	46	11	12·5	3	3·4	..	
Serampore	.	78	33	22·1	2	3	4	21	14·0	..	
Siliguri	.	87	3	4·2	2	3	4·2	..	
South Dum-Dum	.	71	1	0·7	1	—	—	2	1·5	—	
South Suburban	.	112	34	15·8	5	—	—	15	7·0	2	
Titagarh	.	74	27	10·0	—	18	2	2	24	16·9	3	
TOTAL		4,712	1,570	1,7·4	161	3	—	125	128	209	9	1,156	12·8	235
Bihar														
<i>For w/e the 16th May, 1953</i>														
Arrah	.	68	4	3·1	1	—	—	3	1	—	8	3·8	—	
Bettiah	.	37	36	50·6	3	1	..	21	29·5	2	
Bhagalpur	.	120	—	1	8	3·5	..	
Bihar	.	65	20	16·0	—	1	4	3·2	—	
Chapra	.	67	11	8·5	2	5	3·9	..	
Darbhanga	.	88	17	10·1	4	6	3·5	..	
Dinapur Nizamat	.	45	9	11·4	—	1	2	2·4	..	
Dhanbad	.	37	6	8·4	2	2·8	..	
Gaya†	.													
Jamalpur	.	45	4	4·6	—	2	2	—	2	2·3	..	
Jamshedpur	.	232	79	18·7	10	2·1	4	
Monghyr	.	76	7	4·8	2	1	..	3	2·1	..	
Muzaffarpur	.	79	25	16·5	—	11	7·2	—	
Patna	.	302	96	15·5	—	1	..	7	1	..	41	6·6	—	
Ranchi	.	118	21	9·3	4	9	4·0	—	
Purulia	.	44	4	4·7	2	2	2·4	..	
Katihar	.	46	1	1·1	
TOTAL		1,469	340	12·0	1	1	—	32	5	1	121	4·6	6	

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used:—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths).

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 6th June, 1953—concl.

Deaths from—

Town	Mid-year Popn.—Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.Rt.**	I.D.***	
Bihar														
Arrah	68	6	4·6	—	—	—	4	—	—	—	8	6·1	—	
Bettiah	37	22	30·9	—	—	—	5	—	—	—	8	11·2	—	
Bhagalpur	120	21	9·1	—	—	—	3	—	—	—	8	3·5	—	
Jihar	65	7	5·6	—	—	—	2	—	—	—	8	2·4	—	
Chapra	67	15	11·6	1	—	—	3	1	—	—	10	7·8	—	
Darbhanga	88	15	8·9	—	—	—	4	—	—	—	7	4·1	—	
Dinapur-Nizamat	45	9	10·4	—	—	—	4	—	—	—	6	6·9	—	
Dhanbad	37	12	16·9	—	—	—	1	—	—	—	11	15·5	—	
Jamalpur	45	3	9·5	—	—	—	—	—	—	—	—	—	—	
Jamshedpur	232	69	15·5	—	—	—	3	—	—	3	2	13	2·9	4
Monghyr	76	8	5·5	—	—	—	3	2	—	—	5	3·4	—	
Muzaffarpur	79	12	7·9	—	—	—	3	—	—	—	5	3·3	—	
Patna	302	54	8·7	—	—	—	8	2	2	—	39	6·2	—	
Ranchi	118	19	8·4	—	—	—	4	—	—	—	6	2·6	—	
Purulia	44	4	4·7	—	—	—	2	—	—	—	2	2·4	—	
TOTAL	1,423	276	10·0	1	—	—	49	5	5	2	131	4·8	4	
Bhopal														
Bhopal	108	38	18·3	—	—	—	7	—	1	—	—	4·3	9	
PEPSU														
<i>For w/e the 30th May, 1953.</i>														
Patiala City	103	36	18·2	—	—	—	19	—	1	—	34	17·2	7	
Malerkotla City	33	19	4·7	—	—	—	3	—	—	—	9	1·6	—	
Bhatinda	36	17	24·6	—	—	—	2	—	—	—	5	7·2	1	
TOTAL	172	72	21·8	—	—	—	24	—	2	1	48	14·5	8	
PEPSU														
<i>For w/e the 16th May, 1953.</i>														
Patiala City	103	23	8·1	—	—	—	10	1	—	—	16	11·6	7	
Malerkotla City	33	21	29·9	—	—	—	1	—	—	—	1	14·2	—	
Bhatinda	36	13	18·8	—	—	—	2	—	1	—	8	11·6	3	
TOTAL	172	57	17·2	—	—	—	13	1	1	1	26	7·5	10	
PEPSU														
<i>For w/e the 23rd May, 1953.</i>														
Patiala City	103	48	24·2	—	—	—	15	—	2	—	35	17·7	11	
Malerkotla City	33	13	20·5	—	—	—	8	—	3	—	13	20·5	—	
Bhatinda	36	18	26·3	—	—	—	3	—	—	—	3	4·3	1	
TOTAL	172	79	23·8	—	—	—	26	—	5	—	81	15·4	12	
Saurashtra														
<i>For w/e the 30th May, 1953.</i>														
Bhavnagar	146	27	9·6	—	1	—	9	—	3	—	20	10·3	7	
Dhoraji	45	20	23·1	—	—	—	1	1	1	—	5	5·8	—	
Jammnagar	112	28	13·0	—	—	—	5	2	—	—	13	6·0	2	
Junagadh	64	26	11·1	—	—	—	10	1	2	—	25	20·3	3	
Morvi	42	11	13·6	—	—	—	1	—	—	—	2	2·5	1	
Torbandar	61	35	29·8	—	13	—	6	—	2	—	27	23·0	10	
Rajkot	147	63	22·2	—	—	—	14	3	2	—	29	10·2	10	
Surendra nager	38	5	6·8	—	—	—	2	—	—	—	3	4·2	1	
Veraval	43	17	20·6	—	—	—	3	—	3	—	6	7·3	1	
TOTAL	698	232	17·3	—	14	—	61	7	13	—	139	10·3	35	
Jammu and Kashmir														
Srinagar w/e 2-5-53	235	129	28·5	—	—	—	5	—	10	1	26	5·7	2	
" " 9-5-53	235	131	20·9	—	—	—	3	—	14	—	36	7·7	2	
" " 16-5-53	235	126	27·8	—	—	—	5	—	20	—	34	7·5	7	
Jammu w/e 18-4-53	66	39	30·7	—	—	—	2	—	1	—	8	6·3	—	
" " 25-4-53	66	32	25·2	—	—	—	1	—	2	—	7	5·5	1	
" " 2-5-53	66	43	33·8	—	—	—	2	—	1	—	11	8·6	1	
Punjab														
Jullundur w/e 23-5-53	182	61	17·6	—	1	—	21	1	2	—	40	11·5	9	
Bombay														
Iodhra w/e 31-5-53	40	22	18·6	—	—	—	6	—	1	—	9	11·7	5	
Challgaon w/e 31-5-53	32	15	21·3	—	—	—	8	—	1	—	9	14·6	4	
Hubli w/e 31-5-53	137	99	37·6	—	—	—	1	1	10	2	26	9·8	3	
Hana w/e 16-5-53	55	21	18·0	—	—	—	3	—	1	3	11	10·4	3	

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† The system of symbols used is—P.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths).

REMARKS

The figures of births and deaths shown in this statement for week ending the 6th June, 1953, relate to 183 towns with an estimated population of 24,861 thousands. The total number of towns is 295 and their population is 36,086 thousands. Thus 62% of the total number of towns representing 69% of the total population is covered in this statement. The numbers of births and deaths recorded in these towns were 12,605 and 7,752 representing birth and death rates of 26·3 and 16·2 per thousand of population respectively.

(A) States (Parts A and C).—The data here relate to 183 towns with an estimated population of 21,488 thousands. Information about Bihar, Madhya Pradesh and West Bengal could not be included. The total number of towns is 249 and their population is 30,736 thousands. Thus 65% of the total number of towns representing 70% of the total population is covered. The numbers of births and deaths recorded in these towns were 11,072 and 6,877

representing birth and death rates of 26·8 and 16·6 per thousand of population respectively. The table at the end gives the position by States.

Malegaon in Bombay was the only town which recorded a high death rate of 66·1 per thousand of population and this high death rate was mainly due to deaths from fevers.

(B) States (Part B).—The data here relate to 20 towns with an estimated population of 3,373 thousands. The total number of towns is 46 and their population is 5,350 thousands. Thus 43% of total number of towns representing 63% of total population is covered. The numbers of births and deaths recorded in these towns were 1,533 and 875 representing birth and death rates of 23·6 and 13·5 per thousand of population respectively.

No town recorded a high death rate of 50 or over per thousand of population.

States	Current w/e 6-6-53		Corresponding w/e last year		Corresponding mean during the previous 5 year period	
	B. R.	D. R.	B. R.	D. R.	B. R.	D. R.
Ajmer . . .	10·9	8·3	17·9	17·9	23·4	18·2
Bombay . . .	26·2	14·5	31·1	16·5	29·8	18·2
Delhi . . .	26·3	11·6	22·0	12·8	28·6	15·7
Madras . . .	32·7	18·8	35·1	18·6	41·2	22·1
Orissa . . .	29·1	19·9	29·4	15·3	35·9	21·9
Punjab (I) . . .	28·5	11·1	26·3	11·4	19·9	10·6
Uttar Pradesh . . .	23·1	19·9	25·5	21·0	26·4	23·8
India (only States . . .	26·8	16·6	25·8	16·0	26·4	19·1
Parts A and C).						

NEW DELHI, 2 (INDIA); }
The 29th June, 1953. }

K. MITRA,
for Registrar General, India.